



10MAGLOCK1
10MAGLOCK3
10MAGLOCK5
10MAGLOCK6
SEE NOTE 1



NOTES:

- 1) BEA U.L. LISTED MAGLOCKS WILL NOT WORK IN THIS CONFIGURATION. IF USING A BEA U.L. LISTED MAGLOCK YOU MUST ALSO USE A U.L. LISTED POWER SUPPLY SUCH AS THE BEA PT.# 10PS12-24 ALTRONIX POWER SUPPLY. SEE DRAWING # 80.0332.00 FOR WIRING INSTRUCTIONS.
- 2) IF INSTALLING ON A MANUAL DOOR DISREGARD RELAY 2 CONNECTIONS AND DOOR CONTROL. IF INSTALLING ON AN AUTOMATIC DOOR ENSURE THE DOOR HAS THE APPROPRIATE SENSORS INSTALLED AND THAT IT COMPLIES TO ANSI 156.10 OR 156.19.

IF AFTER TROUBLESHOOTING A PROBLEM, A SATISFACTORY SOLUTION CANNOT BE ACHIEVED, PLEASE CALL B.E.A., INC. FOR FURTHER ASSISTANCE DURING EASTERN STANDARD TIME AT 1-800-523-2462 FROM 8AM - 5PM. FOR AFTER-HOURS, CALL EAST COAST: 1-866-836-1863 OR 1-800-407-4545 / MID-WEST: 1-888-308-8843 / WEST COAST: 1-888-419-2564. DO NOT LEAVE ANY PROBLEM UNRESOLVED. IF YOU MUST WAIT FOR THE FOLLOWING WORKDAY TO CALL B.E.A., LEAVE THE DOOR INOPERABLE UNTIL SATISFACTORY REPAIRS CAN BE MADE. NEVER SACRIFICE THE SAFE OPERATION OF THE AUTOMATIC DOOR OR GATE FOR AN INCOMPLETE SOLUTION.WEB: WWW.BEASENSORS.COM

		100 ENTERPRISE DRIVE PITTSBURGH, PA 15275 PHONE: (412) 249-4100 FAX: (412) 249-4101 EMAIL: www.beasensors.com	
TITLE: BR3-RD433-MAGLOCK/EL STRIKE POWERED W/ 24VAC TRANSFORMER			
SIZE: A	DRAWN BY: WJR	REV BY:	PART NO: 80.0331.00
	SCALE: NONE	DATE: 07/27/2010	SHEET 1 OF 1